



Docket No.: 50432-022 (F0379)

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of : Customer Number: 20277  
Lu YOU, et al. : Confirmation Number: 5047  
Serial No.: 09/785,445 : Group Art Unit: 2811  
Filed: February 20, 2001 : Examiner: H.K. Vu

For: SINGLE DAMASCENE INTEGRATION SCHEME FOR PREVENTING CORNER  
CONTAMINATION OF DIELECTRIC LAYER

13/EOT  
9-16-03  
A. W. Allen

**PETITION FOR EXTENSION OF TIME**

Mail Stop Non-Fee Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED  
SEP 12 2003  
TECHNOLOGY CENTER 280C


Sir:

It is respectfully requested that the time for response to the Office Action dated June 4, 2003, now due to expire September 4, 2003, be extended for one (1) month and set to expire on October 4, 2003.

Please charge the extension fee of \$110.00 to Deposit Account No. 500417. Please charge any additional fees or credit any overpayment to Deposit Account No. 500417.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

  
Scott D. Paul  
Registration No. 42,984

09/11/2003 CNGUYEN 00000043 500417 09785445  
01 FC:1251 110.00 DA

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
(202) 756-8000 SDP:kap  
Facsimile: (202) 756-8087  
**Date: September 10, 2003**